



spinlock

2017



The Spinlock Product Guide outlines all of the products in our extensive range, which continues to grow as we seek new ways to help you enjoy your sport.

Our products get lighter, easier to use and maintain and they change with fashions to suit your tastes. Because our products are very technical we have lots of supporting detail that is best viewed on our website and because our products are so beautiful you will find lots of great images on the website to enjoy.

We love to talk to our customers, so if you don't find the detail you need or you want to say 'hello' and tell us what you are doing, give us call, send us an email or find us on social media - we look forward to hearing from you.

SPINLOCK.CO.UK

ONLINE TECHNICAL SUPPORT

For all Spinlock products



Spinlock Limited quality management system is accredited to:
EN ISO9001:2008
by SGS Quality Assurance

Cover image: Jeff Brown
S/Y Firefly, F Class

Product Photography: Richard Boll
www.richardbollphotography.com

Follow our social media channels, we provide the latest in Spinlock news, prompts for servicing as well as tips and tricks.



XAS POWERCLUTCH

EFFORTLESS MULTI ROLE CLUTCH



The perfect clutch for racing yachts up to 27' and cruising yachts up to 34'



XTR POWERCLUTCH

MID / HIGHER LOAD ROPE HOLDING




Smooth dual action, extra grip and release control

XTS POWERCLUTCH

MID / HIGHER LOAD ROPE HOLDING



Standard on larger production yachts and the choice of racing yachts inshore and offshore



XXA & XXB POWERCLUTCH

SECURE CLUTCHING FOR HIGH LOADS



The only secure rope holding solution for performance yachts

XCS POWERCLUTCH

MID / HIGHER LOAD ROPE HOLDING



The XCS offers a range of exceptional quality finishes to match your deck or rig



XXC POWERCLUTCH

ULTRA-HIGH PERFORMANCE CLUTCH




Ultra-high performance rope holding and release

PXR CAM CLEAT

THE EASIEST CLEAT TO RELEASE



Compact cam cleat for easy fast release of high performance controls



SUA MINI JAMMER

FOR USE WITH SMALLER WINCHES



Popular halyard jammer for smaller decks. More power than a camcleat, more compact than a powerclutch



WL LINE LEAD

COMPACT STANCHION LEAD SYSTEM



Compact furling line guide systems reduce line friction during furling




BRS SPINNAKER BLOCK

CONTROLLED SPINNAKER HANDLING



This jammer block is for situations where a fixed foot block can't help: peeling spinnakers or changing a sheet block




TWF WINCHFEEDER

FOR DIVERTING LINES



Fit a winchfeeder aft of a clutch or jammer to divert lines to an alternative winch



RF SAILFEEDER

PRECISION SAIL GUIDES




Sailfeeders for fast, precise, smooth sail hoists

TSR ORGANISER

FOR LEADING HIGHLY LOADED LINES



Aft Organiser for diverting highly loaded lines from clutches and jammers



T38, T50, TC50 ORGANISER

FOR LEADING LINES





T-Series organisers guide multiple lines from the mast to banks of clutches or jammers

TSR LOW SHEAVE ORGANISER

FOR LEADING HIGHLY LOADED LINES



Forward Organiser for diverting highly loaded lines



BE10 MULTIPLE BULLSEYE

FOR STAND ALONE OR USE WITH T25 ORGANISERS





Versatile new solution for low loaded lines, either fitted alone or double stacked onto new T25 organisers

T25 ORGANISER

FOR LEADING LINES



Small boat line organiser



BE BULLSEYE

LOW PROFILE CONTROL LINE GUIDES




Improves any deck layout

ZR JAMMER

MID / HIGHER LOAD WINCH RELEASE JAMMER



Secure 'hands free' jammer technology for production yachts



ZS OPEN POWERJAMMER

MOBILE HIGH LOAD JAMMER




The essential solution for peeling spinnakers, headsails and reefing. Unbeatable in an emergency

ZS ALLOY JAMMER

JAMMER FOR HIGH LOADS



Unrivalled performance for larger diameters and high loads with the advantage of winch controlled release



PD PADEYES

HIGH STRENGTH, LOW WEIGHT PADEYES



Excellent strength to weight ratio and shock loading resistance

ZS CARBON JAMMER

JAMMER FOR HIGH LOADS



For ultimate load holding and minimum weight



EJB TILLER EXTENSION

UNIQUE HELMING PRECISION



The latest in lightweight, precision helming



EJ TILLER EXTENSION

UNIQUE HELMING PRECISION



Compact tiller extension for competitive helming



EA TILLER EXTENSION

UNIQUE HELMING PRECISION



Telescopic extensions shaped for precision helming in four standard lengths



ATCU THROTTLE CONTROL

RACEBOAT THROTTLE SOLUTION



Converts a standard Teleflex™ throttle to a flush socket unit



RP25 ROPE COATING

FOR LONGER ROPE LIFE



Good rigging shops now offer an RP25 application service for new and existing lines



RIG SENSE

RIG TENSION GAUGE FOR 2-5MM & 5-8MM WIRE AND CABLE



Rig Tension gauge for repeatable rig settings - aids race set-up and preparation



LD & LW SENSE

DIGITAL AND WIRELESS DISPLAY LOAD CELL



Sense soft loop into the system to confirm load and develop knowledge



SENSE APPS

FREE TO DOWNLOAD FOR IOS AND ANDROID



Spinlock RIG




Spinlock LW



Spinlock LD

The three Sense Apps allow users of Spinlock load measuring devices to work efficiently with their devices and store and manage their data in a single place



ROPE HOLDING BY THE EXPERTS

Rope holding product design is continually changing as new ropes are developed and crews demand simpler and faster line handling.

When specifying rope holding gear or when looking for better performance, here are some ideas:



Check 'Spinlock Suggests': our interactive rope holding app and database to help select the right product/rope combination.



Clutch or Jammer? Clutches are ideal for frequently adjusted lines. Jammers are preferred for secure locking of highly loaded lines.



Be prepared to upgrade your clutch or jammer when changing to a new, thinner or low stretch line or when making upgrades to sails, spars and equipment.



Consider our ceramic coated cams, jaws and bases in certain products. The larger the diameter of the line, the better the load holding. Choose internal or external line sleeving in the clutching or jamming area to increase rope diameter.




Clean your clutches and jammers regularly. Hose out the mechanism, flush salt, dirt and rope debris away from the gripping and bearing surfaces. Grease bearing surfaces with Spinlock lubricant after cleaning.



ROPE HOLDING RANGE

PRODUCT	PRODUCT CODE	LINE DIAMETER	LOADS UP TO	MULTIPLES	CERAMIC COATED HOLDING	SIDE MOUNT	REMOTE OPERATION	LOCK OPEN	BONDED MOUNTING	COLOURS
PXR	PXR0206	2 - 6mm (3/32 - 1/4")	140kg (308lbs)	Single	✗	✗	✗	✗	✗	■
	PXR0810	8 - 10mm (5/16 - 3/8")	200kg (440lbs)							
SUA	SUA	6-10mm (1/4-3/8")	400kg (880lbs)	Single Double Triple	✗	✗	✗	✗	✗	■
XAS	XAS0408	4-8mm 5/32-5/16"	450kg (990lbs)	Single Double Triple	✗	✓	✗	✗	✗	■
	XAS0612	6-12mm 1/4-1/2"	575kg (1270lbs)							
XTS	XTS0610	6-10mm (1/4-3/8")	700kg (1543lbs)	Single Double Triple	Option	✓	✗	✓	✗	■
	XTS0814	8-14mm (5/16-9/16")	1000kg (2200lbs)							
XCS	XCS0610	6-10mm (1/4-3/8")	700kg (1543lbs)	Single Double Triple	Option	✓	✗	✓	✗	■ ■
	XCS0814	8-14mm (5/16-9/16")	1000kg (2200lbs)							
	XCS1216	12-16mm (1/2"-5/8")	1200kg (2640lbs)							
XTR	XTR0812	8-12mm (5/6-1/2")	1000kg (2200lbs)	Single	✗	✓	✗	✗	✗	■ ■ ■ ■ ■ ■ ■ ■
ZR	ZR1014	10-14mm (5/16-9/16")	1500kg (3300lbs)	Single	✗	✗	✗	✗	✗	■
XXA	XXA0812	8-12mm (5/6-1/2")	1800kg (3970lbs)	Single	Option	✓	✓	✓	✗	■
XXB	XXB0812	8-12mm (5/6-1/2")	2350kg (5180lbs)	Single	✓	✓	✓	✓	✗	■
XXC	XXC0812	8-12mm (5/6-1/2")	2350kg (5180lbs)	Single	✓	✓	✓	✓	✓	■ ■ ■ ■ ■ ■ ■ ■
ZS ALLOY	ZS0810	8-10mm (5/16-3/8")	1500kg (3310lbs)	Single	Option	✓	✓	✓	✗	■
	ZS1214	12-14mm (7/16-9/16")	2200kg (4850lbs)							
	ZS1618	16-18mm (5/8-11/16")	4000kg (8820lbs)							
ZS CARBON	ZS1014C	10-14mm (3/8-9/16")	4000kg (8820lbs)	Single	Option	Bonded	✓	✗	✗	■
	ZS1618C	16-18mm (5/8-11/16")	6000kg (13230lbs)							
	ZS1824C	18-24mm (11/16-15/16")	8000kg (17640lbs)							
	ZS2632C	26-32mm (1-1 1/4")	12000kg (26460lbs)							
ZS OPEN	ZS0810/OPEN	8-10mm (5/16-3/8")	1200kg (2650lbs)	Single	✗	Option	✗	✗	✗	■
	ZS1014/OPEN	10-14mm (3/8-9/16")	1800kg (3970lbs)							
	ZS1418/OPEN	14-18mm (9/16-11/16")	3200kg (7040lbs)							
	ZS1824/OPEN	18-24mm (11/16-15/16")	5200kg (11440lbs)							
	ZS2632/OPEN	26-32mm (1-1 1/4")	7800kg (17160lbs)							

DECKWARE RANGE



DECKVEST 5D

HIGH SPECIFICATION OFFSHORE LIFEJACKET HARNESS



Compact and lightweight lifejacket harness with Lume-On™, Pylon™ lifejacket lights and Sprayhood included



DECKVEST CENTO

JUNIOR LIFEJACKET HARNESS



Lightweight and low profile – a junior inflatable lifejacket for children in the age range 7 to 15 years old weighing 20-50 Kg




DECKVEST LITE+

ULTRA LIGHTWEIGHT LIFEJACKET WITH HARNESS



Brand new harness version of the Deckvest LITE+. Ideal for those wanting a lightweight lifejacket with the added security of a harness



WING & FOIL PFD

LIGHTWEIGHT, LOW PROFILE 50N BUOYANCY AID



Developed for high speed, high agility sports, the two styles WING and FOIL have been built to provide the latest in PFD design




DECKVEST LITE

ULTRA LIGHTWEIGHT LIFEJACKET



Ultra lightweight, low profile lifejacket perfect for inshore sailing and powerboating



AERO-PRO

DYNAMIC BODY PROFILED 50N FLOTATION VEST



For high agility dinghy, multihull and keelboat sailing. Durable high stretch woven construction for close fitting body



MAST PRO HARNESS

SAFER WORKING AT HEIGHT



Slim, lightweight, minimal design with lumbar support and ratchet fit leg straps



ESSENTIALS PACKS

FOR ALL YOUR BOATING ESSENTIALS



Side and Belt Packs fit with 'hook and loop' belt fastening whilst Chest Pack integrates with Deckvest lifejackets

DECK PRO HARNESS

REVOLUTIONARY DECK SAFETY HARNESS



Ideal for sailors who prefer to be 'clipped on' when sailing



KNEEPADS

PERFORMANCE KNEE PROTECTION



Impact protection for sailing and other watersports



TRIPPING SPIKE



Improved fid design with shackle key for sizes 5-14mm



SAFETY LINES

UP TO 50% LIGHTER THAN CONVENTIONAL LINES



Full strength, compact 18mm webbing - dry coated to reduce water absorption




SAFETY LINE CUTTER

FAST ESCAPE ACCESSORY



For cutting a safety line under load



LUME-ON™

LIFEJACKET BLADDER ILLUMINATION



2 flashing LED Lights (pair) illuminate the inflated lifejacket bladder to increase visibility and aid location



PYLON™

360° LIFEJACKET LIGHT



Lifejacket light for complete all-round visibility

UPGRADES & SPARES

Find all upgrades and spares online at spinlock.co.uk, for existing and older products.

We have many instructional videos on the Spinlock YouTube channel to help with service and installation.





GBR